

according to Regulation (EC) No 1907/2006

### HIGHTEC Screenwash-Concentrate

Revision date: 07.10.2020

Page 1 of 10

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

HIGHTEC Screenwash-Concentrate

UFI: 1TFU-PKM0-Q00W-YNEQ

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Washing and cleaning products

##### 1.3. Details of the supplier of the safety data sheet

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
e-mail:	info@rowe-oil.com	
Internet:	www.rowe-oil.com	
Responsible Department:	sdb@rowe-oil.com	

##### 1.4. Emergency telephone number:

Giftnotruf Mainz (DE; E) +49 (0)6131-19240

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Flammable liquid and vapour.

Causes serious eye irritation.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



###### Hazard statements

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

###### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P102 Keep out of reach of children.

P101 If medical advice is needed, have product container or label at hand.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to of the disposal according to local regulations.

##### 2.3. Other hazards

No information available.

according to Regulation (EC) No 1907/2006

**HIGHTEC Screenwash-Concentrate**

Revision date: 07.10.2020

Page 2 of 10

**SECTION 3: Composition/information on ingredients**
**3.2. Mixtures**
**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64-17-5	ethanol, ethyl alcohol			50-<55 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			
107-21-1	ethanediol			1-<5 %
	203-473-3	603-027-00-1		
	Acute Tox. 4; H302			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**General information**

Self-protection of the first aider

**After inhalation**

Provide fresh air. Vapours may cause drowsiness and dizziness.

**After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

**After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

Never give anything by mouth to an unconscious person or a person with cramps.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**
**5.1. Extinguishing media**
**Suitable extinguishing media**

 Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

**5.2. Special hazards arising from the substance or mixture**

Flammable. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

according to Regulation (EC) No 1907/2006

**HIGHTEC Screenwash-Concentrate**

Revision date: 07.10.2020

Page 3 of 10

**SECTION 6: Accidental release measures**
**6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition. Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage**
**7.1. Precautions for safe handling**
**Advice on safe handling**

Ensure adequate ventilation of the storage area.

Wear suitable protective clothing.

**Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air. Keep away from sources of ignition - No smoking.

Provide earthing of containers, equipment, pumps and ventilation facilities.

**Further information on handling**

Take off contaminated clothing and wash it before reuse.

**7.2. Conditions for safe storage, including any incompatibilities**
**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Store in a cool dry place.

Keep away from heat.

**Hints on joint storage**

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances. Do not store together with:

Highly oxidising substances

**Further information on storage conditions**

Keep/Store only in original container.

**7.3. Specific end use(s)**

Washing and cleaning products

**SECTION 8: Exposure controls/personal protection**
**8.1. Control parameters**
**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

according to Regulation (EC) No 1907/2006

### HIGHTEC Screenwash-Concentrate

Revision date: 07.10.2020

Page 4 of 10

#### 8.2. Exposure controls



##### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.  
Use non-sparking tools.  
Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

##### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Personal protection equipment

##### Eye/face protection

Suitable eye protection: goggles. Dust protection eye glasses (EN 166)

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. (EN374)  
Wearing time with permanent contact >480m  
Thickness of the glove material 0,5mm

##### Skin protection

Use of protective clothing. Protective clothing

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Use appropriate respiratory protection. (EN 136)

##### Environmental exposure controls

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid  
Colour: colourless  
Odour: Alcohol

	<b>Test method</b>
pH-Value:	not determined DIN 51369
<b>Changes in the physical state</b>	
Melting point:	not determined
Initial boiling point and boiling range:	~ 78 °C
Flash point:	~ 26 °C DIN EN ISO 13736
<b>Flammability</b>	
Solid:	not applicable
Gas:	not applicable

##### Explosive properties

The product is not: Explosive.

Lower explosion limits: not determined

according to Regulation (EC) No 1907/2006

**HIGHTEC Screenwash-Concentrate**

Revision date: 07.10.2020

Page 5 of 10

Upper explosion limits:	not determined
<b>Auto-ignition temperature</b>	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
<b>Oxidizing properties</b>	
Not oxidising.	
Vapour pressure:	not determined
Density:	~ 0,907 g/cm <sup>3</sup>
Water solubility:	completely miscible
<b>Solubility in other solvents</b>	
not determined	
Partition coefficient:	not determined
Vapour density:	not determined
Evaporation rate:	not determined
<b>9.2. Other information</b>	
Solid content:	not determined

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

Flammable. Flammable liquid and vapour. (H226)

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

Vapours can form explosive mixtures with air.

**10.4. Conditions to avoid**

Vapours can form explosive mixtures with air. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

**10.5. Incompatible materials**

Oxidising agent, strong  
Etchant and acids

**10.6. Hazardous decomposition products**

Harmful Dissolved organic carbon (DOC):

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

according to Regulation (EC) No 1907/2006

**HIGHTEC Screenwash-Concentrate**

Revision date: 07.10.2020

Page 6 of 10

**Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol, ethyl alcohol				
	oral	LD50 6200 mg/kg	Rat	IUCLID	
	inhalation (4 h) vapour	LC50 95,6 mg/l	Rat	RTECS	
107-21-1	ethanediol				
	oral	ATE 500 mg/kg			
	dermal	LD50 10600 mg/kg	Rabbit	GESTIS	

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information**
**12.1. Toxicity**

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID	
107-21-1	ethanediol					
	Acute fish toxicity	LC50 18500 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 6500-7500 mg/l	96 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 >10,000 mg/l	48 h	Daphnia magna		

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available No indication of bioaccumulation potential.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
107-21-1	ethanediol	-1,34

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

**12.6. Other adverse effects**

Product may not be released into water without pre-treatment (biological sewage plant).

**Further information**

Avoid release to the environment.

according to Regulation (EC) No 1907/2006

### HIGHTEC Screenwash-Concentrate

Revision date: 07.10.2020

Page 7 of 10

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

###### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

###### List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

###### List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

###### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL))  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
 Hazard label: 3



Classification code: F1  
 Special Provisions: 274 601  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 30  
 Tunnel restriction code: D/E

##### Inland waterways transport (ADN)

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL))  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
 Hazard label: 3



Classification code: F1  
 Special Provisions: 274 601  
 Limited quantity: 5 L  
 Excepted quantity: E1

##### Marine transport (IMDG)

**14.1. UN number:** UN 1987

according to Regulation (EC) No 1907/2006

### HIGHTEC Screenwash-Concentrate

Revision date: 07.10.2020

Page 8 of 10

**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL))  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
 Hazard label: 3



Special Provisions: 223, 274  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-E, S-D

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1987  
**14.2. UN proper shipping name:** ALCOHOLS, N.O.S. (ETHANOL (ETHYL ALCOHOL))  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
 Hazard label: 3



Special Provisions: A3 A180  
 Limited quantity Passenger: 10 L  
 Passenger LQ: Y344  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 355  
 IATA-max. quantity - Passenger: 60 L  
 IATA-packing instructions - Cargo: 366  
 IATA-max. quantity - Cargo: 220 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

#### 14.6. Special precautions for user

Warning: Combustible liquid.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: ethanol, ethyl alcohol

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water



according to Regulation (EC) No 1907/2006

**HIGHTEC Screenwash-Concentrate**

Revision date: 07.10.2020

Page 9 of 10

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 2,3,9.

**Abbreviations and acronyms**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonized System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service
  - LC50: Lethal concentration, 50%
  - LD50: Lethal dose, 50%
  - CLP: Classification, labelling and Packaging
  - REACH: Registration, Evaluation and Authorization of Chemicals
  - GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
  - UN: United Nations
  - DNEL: Derived No Effect Level
  - DMEL: Derived Minimal Effect Level
  - PNEC: Predicted No Effect Concentration
  - ATE: Acute toxicity estimate
  - LL50: Lethal loading, 50%
  - EL50: Effect loading, 50%
  - EC50: Effective Concentration 50%
  - ErC50: Effective Concentration 50%, growth rate
  - NOEC: No Observed Effect Concentration
  - BCF: Bio-concentration factor
  - PBT: persistent, bioaccumulative, toxic
  - vPvB: very persistent, very bioaccumulative
  - RID: Regulations concerning the international carriage of dangerous goods by rail
  - ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
  - EmS: Emergency Schedules
  - MFAG: Medical First Aid Guide
  - ICAO: International Civil Aviation Organization
  - MARPOL: International Convention for the Prevention of Marine Pollution from Ships
  - IBC: Intermediate Bulk Container
  - SVHC: Substance of Very High Concern
- For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Eye Irrit. 2; H319	

**Relevant H and EUH statements (number and full text)**

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**HIGHTEC Screenwash-Concentrate**

Revision date: 07.10.2020

Page 10 of 10

H319 Causes serious eye irritation.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*