

according to Regulation (EC) No 1907/2006

**HIGHTEC ATF DCG II**

Revision date: 18.09.2020

Page 1 of 10

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

HIGHTEC ATF DCG II

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

ATF

**1.3. Details of the supplier of the safety data sheet**

Company name:	ROWE Mineralölwerk GmbH	
Street:	Langgewann 101	
Place:	D-67547 Worms	
Telephone:	+49 (0)6241 5906-0	Telefax: +49 (0)6241 5906-999
e-mail:	info@rowe-oil.com	
Internet:	www.rowe-oil.com	
Responsible Department:	sdb@rowe-oil.com	

**1.4. Emergency telephone number:** Giftnotruf Mainz (DE; E) +49 (0)6131-19240**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Special labelling of certain mixtures**

EUH208	Contains C14-18 alpha-olefin epoxide, reactionproducts with boric acid. May produce an allergic reaction.
--------	---

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

**HIGHTEC ATF DCG II**

Revision date: 18.09.2020

Page 2 of 10

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64742-55-8	Complex combination of hydrocarbons			30 - < 60 %
	265-158-7		01-2119487077-29	
	Asp. Tox. 1; H304			
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated			30 - < 60 %
	265-157-1		01-2119484627-25	
	Asp. Tox. 1; H304			
	mineral oil			5 - < 15 %
	Asp. Tox. 1; H304			
36878-20-3	Bis(nonylphenyl)amine			1 - < 2.5 %
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogenperoxide and tert-nonanethiol			1 - < 2.5 %
	293-927-7		01-2119976351-35	
	Aquatic Chronic 3; H412			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**
**4.1. Description of first aid measures**
**After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary. In case of inhalation of aerosols/spray mist/splash spots: Consult physician.

Avoid breathing dust/fume/gas/mist/vapours/spray. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice/attention.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.

In case of troubles or persistent symptoms, consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures**
**5.1. Extinguishing media**

according to Regulation (EC) No 1907/2006

**HIGHTEC ATF DCG II**

Revision date: 18.09.2020

Page 3 of 10

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.  
Carbon dioxide (CO<sub>2</sub>). Dry extinguishing powder. Foam.

**5.2. Special hazards arising from the substance or mixture**

Non-flammable. Special exposure hazards arising from the substance itself, combustion products, resulting gases:  
Carbon dioxide (CO<sub>2</sub>). Carbon monoxide Sulphur oxides. Phosphorus oxides. Hydrogen sulphide (H<sub>2</sub>S).

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus. carbon black  
In case of fire and/or explosion do not breathe fumes.  
In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.  
Dispose of waste according to applicable legislation.  
Use water spray jet to protect personnel and to cool endangered containers.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Special danger of slipping by leaking/spilling product.  
Wear suitable protective clothing.  
Wear breathing apparatus if exposed to vapours/dusts/aerosols.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
Prevent spread over a wide area (e.g. by containment or oil barriers).

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Protect skin by using skin protective cream. Wash hands before breaks and after work.  
Conditions to avoid: aerosol or mist generation.

**Advice on protection against fire and explosion**

No special measures are necessary.  
When using do not smoke.  
Fire class: B (DIN-/EN-Norms: EN2)

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep container tightly closed.  
Keep away from heat. Keep/Store only in original container.

**Hints on joint storage**

Do not store together with: Food and fodder, Oxidizing agents.

**7.3. Specific end use(s)**

ATF

according to Regulation (EC) No 1907/2006

### HIGHTEC ATF DCG II

Revision date: 18.09.2020

Page 4 of 10

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
36878-20-3	Bis(nonylphenyl)amine			
Worker DNEL, long-term		dermal	systemic	0,62 mg/kg bw/day

#### PNEC values

CAS No	Substance	Value
36878-20-3	Bis(nonylphenyl)amine	
Freshwater		0,1 mg/l

### 8.2. Exposure controls



#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink. When using do not eat, drink or smoke.

Protect skin by using skin protective cream.  
Keep away from food, drink and animal feedingstuffs.  
Do not breathe vapour.

#### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	brown	
Odour:	characteristic	
pH-Value:		not determined

#### Changes in the physical state

according to Regulation (EC) No 1907/2006

### HIGHTEC ATF DCG II

Revision date: 18.09.2020

Page 5 of 10

Melting point:	not determined
Initial boiling point and boiling range:	not determined
Pour point:	~ -40 °C
Flash point:	>170 °C

#### Flammability

Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined

#### Auto-ignition temperature

Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined

#### Oxidizing properties

Not oxidising.	
Vapour pressure:	not determined
Density (at 15 °C):	~ 0,853 g/cm <sup>3</sup>
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.

#### Solubility in other solvents

not determined	
Partition coefficient:	not determined
Viscosity / kinematic: (at 100 °C)	~ 7,2 mm <sup>2</sup> /s
Vapour density:	not determined
Evaporation rate:	not determined

#### 9.2. Other information

Solid content:	0
----------------	---

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Oxidizing agents, strong.

#### 10.5. Incompatible materials

Oxidizing agents, strong.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

**HIGHTEC ATF DCG II**

Revision date: 18.09.2020

Page 6 of 10

**11.1. Information on toxicological effects**
**Acute toxicity**

No data available.

Irritant effect on the respiratory tract: Do not breathe gas/vapour.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-55-8	Complex combination of hydrocarbons				
	oral	LD50 > 5000 mg/kg	Rat		
	dermal	LD50 > 3000 mg/kg	Rabbit		
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated				
	oral	LD50 >2000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD 402	
	inhalation (4 h) vapour	LC50 >5000 mg/l	Rat	OECD 403	
36878-20-3	Bis(nonylphenyl)amine				
	oral	LD50 >5000 mg/kg	Rat	OECD 401	
	dermal	LD50 >2000 mg/kg	Rabbit	OECD 402	
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogenperoxide and tert-nonanethiol				
	oral	LD50 10000 mg/kg	Rat	OECD 401	
	dermal	LD50 > 2000 mg/kg	Rabbit	OECD 402	

**Irritation and corrosivity**

Irritant effect on the skin: none

Frequent and prolonged eye contact may cause eye irritation.

**Carcinogenic/mutagenic/toxic effects for reproduction**

The product is not classified.

**STOT-repeated exposure**

Frequently or prolonged contact with skin may cause dermal irritation.

**SECTION 12: Ecological information**
**12.1. Toxicity**

The product is not: Ecotoxic.

according to Regulation (EC) No 1907/2006

**HIGHTEC ATF DCG II**

Revision date: 18.09.2020

Page 7 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Fish	OECD 203	
	Acute algae toxicity	ErC50 > 100 mg/l	72 h		OECD 201	
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia	OECD 202	
36878-20-3	Bis(nonylphenyl)amine					
	Acute fish toxicity	LC50 >100 mg/l	96 h	Brachydanio rerio (zebra-fish)	OECD 203	
	Acute algae toxicity	ErC50 600 mg/l	72 h	Pseudokirchneriella subcapitata	OECD 201	
	Acute crustacea toxicity	EC50 >100 mg/l	48 h	Daphnia magna	OECD 202	
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogenperoxide and tert-nonanethiol					
	Acute fish toxicity	LC50 1000 mg/l	96 h	Pimephales promelas (fettköpfige Elritze)	OECD 203	
	Acute algae toxicity	ErC50 100 mg/l	72 h	Pseudokirchneriella subcapitata (Grünalge)	OECD 201	

**12.2. Persistence and degradability**

Due to its low solubility in water the product is almost completely mechanically separated in biological sewage plants. Poorly eliminated from water.

Not easily bio-degradable (according to OECD-criteria). Product is partially biodegradable. Significant residues remain.

Post-use oils must not be discharged into the sewer system or into surface waters nor must they be allowed to enter the soil.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
36878-20-3	Bis(nonylphenyl)amine			
	Aerobic biological treatment	1%	28	
	Not easily bio-degradable (according to OECD-criteria).			
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogenperoxide and tert-nonanethiol			
	OECD Richtlinie zur Untersuchung von Chemikalien,	< 10 %		
	Nicht leicht biologisch abbaubar.			

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
64742-54-7	Distillates (petroleum), heavy paraffinic, hydrotreated	@1719.B0172 86 >4
36878-20-3	Bis(nonylphenyl)amine	>7,6

**HIGHTEC ATF DCG II**

Revision date: 18.09.2020

Page 8 of 10

**BCF**

CAS No	Chemical name	BCF	Species	Source
91648-65-6	1,3,4-Thiadiazolidine-2,5-dithione, reaction products with hydrogenperoxide and tert-nonanethiol	15,7	Fisch	

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The product has not been tested.

**12.6. Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**SECTION 13: Disposal considerations**
**13.1. Waste treatment methods**
**Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. The waste codes stated are recommendations based on the expected use of the substance and may be re-assigned to other waste codes by the user, if applicable.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

**List of Wastes Code - residues/unused products**

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

**List of Wastes Code - used product**

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Dispose of this material and its container to hazardous or special waste collection point.

**SECTION 14: Transport information**
**Land transport (ADR/RID)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Inland waterways transport (ADN)**

- 14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.



according to Regulation (EC) No 1907/2006

**HIGHTEC ATF DCG II**

Revision date: 18.09.2020

Page 9 of 10

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Marine transport (IMDG)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** No dangerous good in sense of this transport regulation.

**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.

**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.

**14.4. Packing group:** No dangerous good in sense of this transport regulation.

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

**14.6. Special precautions for user**

No dangerous good in sense of this transport regulation.

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No dangerous good in sense of this transport regulation.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 28: Complex combination of hydrocarbons; Distillates (petroleum), heavy paraffinic, hydrotreated

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)  
(SEVESO III):

**National regulatory information**

Water hazard class (D): 2 - obviously hazardous to water  
Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information**

**Changes**

This data sheet contains changes from the previous version in section(s): 3,9.

**Abbreviations and acronyms**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonized System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service
- LC50: Lethal concentration, 50%
- LD50: Lethal dose, 50%

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**HIGHTEC ATF DCG II**

Revision date: 18.09.2020

Page 10 of 10

**Relevant H and EUH statements (number and full text)**

H304	May be fatal if swallowed and enters airways.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains C14-18 alpha-olefin epoxide, reactionproducts with boric acid. May produce an allergic reaction.

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*