PRODUCT INFORMATION



HIGHTEC MARINE POWER HFO 40 SAE 40

HIGHTEC MARINE POWER HFO 40 SAE 40 is a multifunctional trunk piston engine oil.

Description

HIGHTEC MARINE POWER HFO 40 SAE 40 is a multifunctional trunk piston engine oil for highly rated diesel engines running on residual fuel.

Application

HIGHTEC MARINE POWER HFO 40 SAE 40 is designed for medium-speed 4-stroke trunk piston engines running on residual fuel which find applications as propulsion engines and auxiliary engines in marine or industrial areas.

The quality of this product is equivalent to EU regulations

- API CF
- Caterpillar
- Daihatsu
- MAN Diesel
- MAN Turbo
- Wärtsilä
- Yanmar

Benefits

- · Very good engine cleanliness
- · Resists thermal & oxidative stress
- · Advanced high temperature deposit control
- Strong TBN retention

Typical characteristics

Property	Method	Unit	Value
Density at 15 °C	ASTM D-7042	g/ml	0.9
Kinematic viscosity KV 40	ASTM D-7042	mm²/s	141
Kinematic viscosity KV 100	ASTM D-7042	mm²/s	14,5
Viscosity index	ASTM D-7042	-	101
Flash point	ASTM D-92 / DIN EN ISO 2592	°C	210
Total base number	DIN 51639-1	mgKOH/g	40

The characteristics shown are typical of current production. This data cannot be constructed as a legally binding warranty or guaranty of certain product properties or of the suitability of the product for a specific application. ROWE products are continually improved. Therefore ROWE reserves the right to change all the technical data in this product information at any time without notice. All sales and deliveries shall be subject to our current General Terms and Conditions of Sale and Terms (www.rowe-oil.com).

ROWE MINERALÖLWERK GMBH Langgewann 101, D-67547 Worms

