PRODUCT INFORMATION



HIGHTEC SCREENWASH-CONCENTRATE

Antifreeze and cleaning additive for the windscreen washer system. Suitable for fan nozzles and polycarbonate windscreens in cars, heavy-goods vehicles, buses and work machines.

Description

HIGHTEC SCREENWASH-CONCENTRATE is an antifreeze and cleaning additive for windscreen washers and headlamp cleaning devices. It is free of toxic methanol and lightly scented with a citrus fragrance for a pleasant odour.

Application

HIGHTEC SCREENWASH-CONCENTRATE ensures a thorough cleaning and clear view without smears after only a few wiping intervals. It reliably removes road dirt such as dust, insects, oil and silicone residues. HIGHTEC SCREENWASH-CONCENTRATE is diluted with water before

SCREENWASH-CONCENTRATE is diluted with water before use with due consideration of the anticipated outside temperature. In practice, the most commonly used doses can be taken from the specified mixing tables.

Benefits

- Reliable antifreeze protection
- Powerful cleaning action, even in the presence of stubborn dirt
- Windscreens free of smears in just a few wiping intervals
- Suitable for fan nozzles
- Neutral behaviour towards polycarbonate and other plastics such as paint, rubber, metal and glass
- Pleasant citrus fragrance

Notices

HIGHTEC SCREENWASH-CONCENTRATE is harmless on coming into contact with the skin for a short time, but does have a degreasing effect. Wash with water and apply a protective hand cream to the affected area following contact with the skin, if necessary.

Mixing Table

Frost protection up to [°C / °F]	SCREENWASH-CONCENTRATE	H2O
-29 / -20	2	1
-20 / -4	1	1
-10 / 14	1	2

Typical characteristics

Property	Method	Unit	Value
Density at 20 °C	ASTM D1122	g/ml	0.907
Color	visuell	-	bläulich / bluish
Freezing point (50/50-dilution with water)	-	°C/°F	-20 / -4
Flash point	ASTM D-92 / DIN EN ISO 2592	°C	> 23
рН	ASTM D1287	-	5-6

The characteristics shown are typical of current production. This data cannot be constructed as a legally binding warranty or guaranty of certain product properties or of the suitability of the product for a specific application. ROWE products are continually improved. Therefore ROWE reserves the right to change all the technical data in this product information at any time without notice. All sales and deliveries shall be subject to our current General Terms and Conditions of Sale and Terms (www.rowe-oil.com).

ROWE MINERALÖLWERK GMBH Langgewann 101, D-67547 Worms



Are you looking for the correct oil for your vehicle? Scan this code for the ROWE-oilfinder.